RECOMMENDED TURFGRASS CULTIVARS FOR CERTIFIED SOD PRODUCTION AND SEED MIXTURES IN MARYLAND



University of Maryland Turfgrass Technical Update TT-77 July 2020

Dr. Thomas Turner, Turfgrass Specialist and David Funk, Manager of Paint Branch Turfgrass Research Center University of Maryland - Department of Plant Science & Landscape Architecture

Numerous new turfgrass cultivars continue to be developed and released by turfgrass breeders. However, while many of these cultivars are adapted to the environmental conditions that prevail in other regions of the country, many are not adapted to the difficult environmental conditions that occur in the transition zone, which includes Maryland and Virginia. Thus, to identify cultivars that will perform well in this region, extensive cultivar trials are evaluated each year at the University of Maryland and Virginia Polytechnic Institute and State University.



The cultivar performance data obtained at various locations in Maryland and Virginia are reviewed annually in a joint meeting of university researchers and

representatives of the Departments of Agriculture of both states. The use of recommended cultivars usually results in a turfgrass stand of higher quality and density, greater stress tolerance, lower nutrient requirements, less water usage, and fewer pest problems. Also, the use of recommended cultivars generally has the benefits of a reduction in the need for pesticide applications, greater water infiltration, reduced water runoff, and the enhancement of the environmental benefits of properly managed turfgrass.

There has been extensive interest in recent years regarding turfgrass species that have reduced nutrient requirements, especially nitrogen. The two recommended turfgrass species with the lowest nitrogen requirements are the fine fescues and zoysiagrass, while turf-type tall fescue and bermudagrass have intermediate requirements. Although Kentucky bluegrass generally has the highest nitrogen requirements, research is currently ongoing to identify Kentucky bluegrass cultivars that provide good quality under reduced nitrogen fertility and other maintenance inputs.

The following lists of recommended cultivars consist of two groups. "Proven" cultivars represent those that have been performing well in trials in both states over multiple years, and have had certified seed tested by the MD and/or VA Departments of Agriculture. "Promising" cultivars, listed in *green italics*, have shown good performance, but may have been tested in Maryland or Virginia for only 2 years, or may be difficult to find due to limited seed availability.

CULTIVAR NOTATIONS

Cultivars followed by a numerical notation may be removed from these lists in future years for the following reasons:

Cultivar¹ - May be removed from the list due to declining field performance relative to other cultivars

Cultivar² – may be removed from the list due to declining seed quality

Cultivar³ – may be removed from the list because certified seed has not been tested recently by either the Maryland or Virginia seed testing labs.

Cultivar⁴ - may be removed from the list due to the lack of current testing data relative to other cultivars. The cultivar will be removed from the list if it is not included in the next available cultivar trial.

KEY POINTS

Recommended cultivars have been evaluated for performance in Maryland and Virginia.

Maryland Certified Sod must contain only recommended cultivars.

Recommended cultivars generally provide better quality turf, improved ground cover, and reduced runoff.

The use of recommended cultivars reduces many pest and management problems.

Recommended cultivars often have lower fertilizer and water needs, and the need for pesticide applications should be greatly reduced.

The use of recommended cultivars enhance the environmental benefits of turfgrass.

Maryland Certified Sod Program

The Maryland certified sod program is administered by the Maryland Department of Agriculture. Rather than naming individual cultivars, many specifications require that Maryland certified sod of a particular turfgrass species or mixture be used. Requiring certified sod in specifications guarantees that the sod will contain cultivars that are currently recommended by researchers in Maryland and Virginia, will have been seeded in recommended percentages, and will be of high quality with minimal pest problems. Listed below are the cultivar recommendations for Kentucky bluegrass, turf-type tall fescue, zoysiagrass, and bermudagrass certified sod.

Turf-Type Tall Fescue Sod

The following proven and promising turf-type tall fescue cultivars may be seeded individually or in blends, and may be mixed with Kentucky bluegrass (see note below for percentages). Addition of Kentucky bluegrass in the recommended percentages may improve sod strength as well as improving overall performance and quality without increasing management inputs.

Proven Turf-type Tall Fescue Cultivars

AST 7003	Hemi	Rowdy
AST 9002	Houndog 8	Saltillo
Avenger	Inferno	Screamer LS
Black Tail	Integrity	Spyder LS
Bloodhound	Justice	SR 8650
Bullseye	Leonardo	Sunset Gold
Catalyst	Maestro	Supersonic
Crossfire 4	Michelangelo	Technique
Fantasia	Mustang 4	Temple
Fayette	Penn RK4	Thor
Firebird 2	Raptor III	Titanium 2LS
Firecracker SLS	Rebel IV	Titan RX
Firewall	Rebel V	Trinity
4 th Millennium SRP	Rebel XLR	Turbo
Gazelle II	Rebounder	Turbo RZ
Gold Medallion	Reflection	Turfway
Grande 3	Regenerate	Valkyrie LS
GTO	Rendition RX	Wichita
Guardian 41	Rockwell	Xtreme Green

Promising Turf-type Tall Fescue Cultivars

AST 5112	Monument	South Fork
AST 7002	Moondance	Standout
AST 9003	Moondance GLX	Springwood
Birmingham	Paramount	Summer
Hudson	Pro Gold	Titan Ultra
Jaguar 4G	Raindance	Watkins
Lifeguard	Six Point	

Kentucky Bluegrass Cultivars Recommended for Mixing with Tall Fescue Sod

Wildhorse^{1,} and Volt¹ Kentucky bluegrass and all recommended Kentucky bluegrass cultivars can be mixed with turf-type tall fescue to enhance sod strength during harvesting. A maximum of 10% Kentucky bluegrass by weight may be included with tall fescue, although 5% Kentucky bluegrass is generally recommended.

Kentucky Bluegrass Sod

- A blend containing a minimum of 3 listed Kentucky bluegrass cultivars must be chosen.
- Each cultivar must range from a minimum of 10% to a maximum of 35% of the blend's weight.
- No more than 35% of the blend may be comprised of promising cultivars.

Cultivar evaluation trials identify disease-prone cultivars



Leaf spot of Kentucky Bluegrass



Summer Patch of Kentucky Bluegrass

Proven Kentucky Bluegrass Cultivars

Aries	Endurance	Noble
Bluebank	Full Back	Shannon
Blue Coat	Hampton	Skye
Blue Note	Legend	SPF30
Bolt	Midnight	

Promising Kentucky Bluegrass Cultivars

After Midnight	Cloud	Pivot
Amaze	Dauntless	Selway
Babe	Finish Line	Starr
Barserati	Jersey	Syrah
Barvette	New Moon	Twilight
Bluedevil	Nurush	United
Bluegem	Orion	Yellowstone
Bombay		

Bermudagrass Sod

Seven vegetatively (v) reproduced cultivars are currently recommended for use in Maryland for certified sod production. These can only be obtained as sod, plugs, or sprigs. Four cultivars that can be seeded (s) are recommended as well. A prime characteristic in evaluating bermudagrass for use in Maryland is winter hardiness (cold tolerance). Cultivars listed have improved winter hardiness, but may exhibit some damage in extreme years, particularly under low mowing heights or if the bermudagrass was established late in the growing season. Thirty-five bermudagrass cultivars are currently being evaluated at the University of Maryland in the 2019 National Turfgrass Evaluation Program bermudagrass trial.

Proven Bermudagrass Cultivars

Latitude 36 (v)	Premier ⁴ (v)	Tiftuff (v)
Northbridge ⁴ (v)	Riviera ³ (s)	Yukon ³ (s)
Patriot (v)	Tahoma 31 (v)	

Promising Bermudagrass Cultivars

Iron Cutter (v)	Monaco (s)	Rio (s)
-----------------	------------	---------



Zoysiagrass Sod

Only three zoysiagrass cultivars are currently recommended in Maryland for certified sod production due to potential winter hardiness problems or due to a lack of availability of other cultivars. The group listed as vegetative (v) cultivars can only be obtained as sod, plugs, or sprigs. Zenith may be obtained as seed (s) as well as in vegetative forms. Thirtynine zoysiagrass cultivars are currently being evaluated at the University of Maryland in the 2019 National Turfgrass Evaluation Program zoysiagrass trial.

Meyer (v)	Zenith ⁴ (s)	Zeon (v)
-----------	-------------------------	----------

Recommended Seeding Blends and Mixtures for Cool Season Turfgrass Species

The following seed blends and mixtures are those recommended for the large majority of sites in Maryland. Seed mixtures other than those recommended in this publication may be appropriate for the specific conditions or use at a particular site, but should be checked by a turfgrass specialist. The percentages (%) recommended for seed mixtures are on a seed weight basis. For example, when mixing 6.0 pounds of a 95% tall fescue – 5% Kentucky bluegrass mixture, 5.7 pounds of tall fescue seed and 0.3 pounds of Kentucky bluegrass seed should be used for the mixture.

Medium Maintenance Turf - Full Sun to Moderate Shade (For use in full sun to moderately shady areas and for turf that will tolerate a wider range of management inputs, with infrequent or no irrigation).


Turf-type tall fescue is the most commonly recommended species for home-lawns, institutional grounds, and general use areas. They are also extensively used for general-purpose athletic fields and in golf course roughs.

Turf-type Tall Fescue (90-100%) and Kentucky Bluegrass (0-10%). A single cultivar or a blend of turf-type tall fescue cultivars may be used, and may be mixed with up to 10% of a recommended Kentucky bluegrass, although a maximum of 5% is generally preferred. The addition of Kentucky bluegrass to turf-type tall fescue generally results in an excellent turf without increasing needed management inputs.

Recommended Tall Fescue Cultivars: Same as the cultivars recommended for certified sod production (page 2).

Recommended Kentucky Bluegrass Cultivars: Same as the cultivars recommended for certified sod production (page 3).

turf-type tall fescue







The effect of the mixing of perennial ryegrass (photo on right) with turf-type tall fescue on red thread disease. Perennial ryegrass should generally not be mixed with turf-type tall fescue due to increased disease problems.

High Maintenance Turf - Full Sun (For use in full sun areas that will receive irrigation during stress periods and more intensive management).

Kentucky Bluegrass (85-100%) and Perennial Ryegrass (0-15%). Due to the higher maintenance requirements usually needed to successfully maintain most Kentucky bluegrasses in Maryland, it is primarily for use on showcase sites, for stadium athletic fields, and for low cut rough areas on golf courses. A minimum of 3 bluegrass cultivars should be selected, with each ranging from a minimum of 10% to a maximum of 35% of the mixture by weight.

No more than 15% perennial ryegrass should be used in a mixture with Kentucky bluegrass, as the perennial ryegrass will predominate if seeded at a higher rate. Although perennial ryegrass is generally not recommended for mixing with Kentucky bluegrass due to the susceptibility of perennial ryegrass to numerous disease problems, its inclusion may be warranted with Kentucky bluegrass where erosion may be a significant problem during establishment. Perennial ryegrass germinates and becomes established much more quickly than Kentucky bluegrass.

Proven Kentucky Bluegrass Cultivars

Aries	Endurance	Noble
Bluebank	Full Back	Shannon
Blue Coat	Hampton	Skye
Blue Note	Legend	SPF30
Bolt	Midnight	

Promising Kentucky Bluegrass Cultivars

After Midnight	Cloud	Pivot	
Amaze	Dauntless	Selway	
Babe	Finish Line	Starr	
Barserati	Jersey	Syrah	
Barvette	New Moon	Twilight	
Bluedevil	Nurush	United	
Bluegem	Orion	Yellowstone	
Bombay			

Proven Perennial Ryegrass Cultivars

Apple SGL	Grandslam GLD	Line Drive GLS ¹
Banfield ¹	Homerun	Soprano
Benchmark	Karma	Stellar 3GL
Fiesta 4 ¹		

Promising Perennial Ryegrass Cultivars

Alloy	Gray Wolf	Spike GLS
Allstar 3	Homerun LS	Stellar 4GL
Allstar Fore	Infusion	SR 4660 ST
Apple 3GL	Intense	SR 4650
Big League	Sideways	SR 4700
Black Pearl	Seabiscuit	Superstar 4GL
Evolve	Shield	UMPQUA
Fastball 3GL	Signet	Wicked
Fiesta Cinco	Silver Sport	Xcelerator
Gray Fox	Slugger 3GI	

Low Maintenance Turf – Full Sun or Shade (For use on sites that will receive minimal management, including no irrigation and low fertility).

Fine Fescue (100%). The fine fescues include creeping red fescue, chewings fescue, hard fescue, hard-blue fescue, and sheep fescue. The hard fescues are particularly good for low maintenances sites in Maryland. Creeping red fescues should be considered only for shady sites and not for sunny, low maintenance sites. The fine fescues do not have good wear tolerance and should not be mowed when weather conditions are hot and/or dry.

One or more recommended fine fescue can be selected. However, neither mixing fine fescue species nor blending cultivars has been studied extensively in MD or VA for compatibility. Limited research doesn't indicate an advantage to either.

Key to table, below: (C) = Chewings Fescue

(H) = Hard Fescue

(R) = Creeping Red Fescue

Proven Fine Fescue Cultivars

Beacon (H)	Gladiator (H)	Resolute (H)
Compass II (C)	Minimus (H)	Sword (H)
Jetty (H)	Radar (C)	

Promising Fine Fescue Cultivars

Educating People to Help Themselves Local Governments • U.S. Department of Agriculture Cooperating

The University of Maryland is equal opportunity. The University's policies, programs and activities are in conformance with pertinent Federal and State laws and regulations on nondiscrimination regarding race, color, religion, age, national origin, sex, and disability. Inquiries regarding compliance with Title VI of the Civil Rights Act of 1964, as amended; Title IX of the Educational Amendments; Section 504 of the Rehabilitation Act of 1973; and the Americans With Disabilities Act of 1990; or related legal requirements should be directed to the Director of Personnel/Human Relations, Office of the Dean, College of Agriculture and Natural Resources, Symons Hall, College Park, MD 20742.